



GEOFRAME  
PROCESSED  
INTERPRETATION

# Processed Data

## Depth Reference: m WMSF

\* A Mark of Schlumberger

Using the following logs: DIT/HNGS

COMPANY: Lamont Doherty Earth Observatory  
WELL: Expedition 317 Hole U1352B  
FIELD: Canterbury Basin  
Rig: JOIDES Resolution  
Ocean: Pacific  
COUNTRY: USA  
Date Logged: 12/20/2009 Date Processed:  
Well Location: Latitude: S 44° 56.2662'  
Longitude: E 172° 01.362'  
Elevations: KB: 11m DF: 11m GL:  
API Number: Job Number:

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

Field Recording:	Location:	Software Version:	Engineer: C. Furman
------------------	-----------	-------------------	---------------------

Office Recording:	ICS Center:	Baseline:	Log Analyst:
-------------------	-------------	-----------	--------------


### Mud and Borehole Measurements:

Rm @ Measured Temperature: @	BHT:	Bitsize:
Rmf @ Measured Temperature: @	Type Fluid in Hole:	Seawater
Rmc @ Measured Temperature: @	Mud Density: 1.02g/cm3	

### Remarks:


Data depth-shifted and depth-matched. Depth reference: m WMSF. Drill pipe: 102 m WMSF. Water depth: 355 m WRF. Average heave: 1.2 m. Wireline Heave Compensator used.

	<u>HSGR_main</u> 0 (gAPI) 150	<u>HFK_main</u> -2 (%) 3	<u>IDPH_main</u> 0.3 (ohm.m) 3
	<u>HCGR_main</u> 0 (gAPI) 150	<u>HURA_main</u> -2 (ppm) 8	<u>IMPH_main</u> 0.3 (ohm.m) 3
MD 1 : 200 m	<u>LCAL_main</u> 10 (in) 20	<u>HTHO_main</u> 0 (ppm) 15	<u>SFLU_main</u> 0.3 (ohm.m) 3




50

75




100

125




150

175



200



<p>MD 1 : 200 m</p>	<p>LCAL_main</p> <hr style="border-top: 1px dashed black;"/> <p>10 (in) 20</p>	<p>HTHO_main</p> <hr style="border-top: 1px solid green;"/> <p>0 (ppm) 15</p>	<p>SFLU_main</p> <hr style="border-top: 1px solid orange;"/> <p>0.3 (ohm.m) 3</p>
	<p>HCGR_main</p> <hr style="border-top: 1px dashed red;"/> <p>0 (gAPI) 150</p>	<p>HURA_main</p> <hr style="border-top: 1px solid black;"/> <p>-2 (ppm) 8</p>	<p>IMPH_main</p> <hr style="border-top: 1px solid green;"/> <p>0.3 (ohm.m) 3</p>
	<p>HSGR_main</p> <hr style="border-top: 1px solid red;"/> <p>0 (gAPI) 150</p>	<p>HFK_main</p> <hr style="border-top: 1px solid purple;"/> <p>-2 (%) 3</p>	<p>IDPH_main</p> <hr style="border-top: 1px solid black;"/> <p>0.3 (ohm.m) 3</p>