

**Company:** Lamont Doherty  
**Well:** Expedition 323 Site U1339D  
**Field:** Bering Sea  
**Rig:** JOIDES Resolution **Country:** USA

<b>Phasor Induction Natural Gamma Spectroscopy</b>					
Latitude: N 54° 40.471'		Elev.:		K.B.	11.00 m
Longitude: W 169° 58.453'		G.L.		-1879.40 m	
		D.F.		11.00 m	
Permanent Datum:	Mean Sea Level	Elev.:		0.00 m	
Log Measured From:	Drill Floor	11.00 m		above Perm. Datum	
Drilling Measured From:	Drill Floor				
Ocean:	Max. Well Deviation	Longitude	Latitude		
Pacific	0 deg				

**Rig:** JOIDES Resolution  
**Field:** Bering Sea  
**Location:** Latitude: N 54° 40.471'  
**Well:** Expedition 323 Site U1339D  
**Company:** Lamont Doherty

Logging Date	20-Jul-2009			
Run Number	1			
Depth Driller	2079.4 m			
Schlumberger Depth	2079.4 m			
Bottom Log Interval	2077 m			
Top Log Interval	1962 m			
Casing Driller Size @ Depth	4.500 in @ 1962 m			
Casing Schlumberger	1962 m			
Bit Size	11.438 in			
Type Fluid In Hole	Seawater Gel			
Density	1.258 g/cm3			
Fluid Loss	PH			
Source Of Sample	N/A			
RM @ Measured Temperature	@		@	
RMF @ Measured Temperature	@		@	
RMC @ Measured Temperature	@		@	
Source RMF	RMC			
RM @ MRT	RMF @ MRT	N/A	N/A	
Maximum Recorded Temperatures	15 degC @ 15		@ 15	
Circulation Stopped	Time	20-Jul-2009	11:00	
Logger On Bottom	Time	20-Jul-2009	16:45	
Unit Number	Location	625003	Houston	
Recorded By	C. Furman			
Witnessed By	T. Liu, G. Guerin			

	Run 1	Run 2	
Logging Date			
Run Number			
Depth Driller			
Schlumberger Depth			
Bottom Log Interval			
Top Log Interval			
Casing Driller Size @ Depth		@	
Casing Schlumberger			
Bit Size			
Type Fluid In Hole			
Density			
Fluid Loss			
Source Of Sample			
RM @ Measured Temperature		@	
RMF @ Measured Temperature		@	
RMC @ Measured Temperature		@	
Source RMF	RMC		
RM @ MRT	RMF @ MRT	@	@
Maximum Recorded Temperatures			
Circulation Stopped	Time		
Logger On Bottom	Time		
Unit Number	Location		
Recorded By			
Witnessed By			

DISCLAIMER

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1  
OS1: FMS  
OS2: DSI  
OS3: APS/HLDS  
OS4: HNGS

REMARKS: RUN NUMBER 1

Logs run in fourth hole ("D" hole) of drilling site U1339 to aid in correlation of core data collected in surface labs.

Average heave during the run was only 0.2m; Active Heave Compensator used.

TD was found to be 2080mBRF with the pipe (bit) at 1962mBRF. Sea Bed given as 1879.4mBRF.

Hole Size input taken from HLDS Caliper.




Tool run slick in order to fit through drill pipe, as is standard practice on this project.


HLDS Caliper closed at approximately 2000m to facility entry into drill pipe.

RUN 1			RUN 2		
SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:			SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:		
17C0-154					
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP

EQUIPMENT DESCRIPTION

RUN 1	RUN 2
<b>SURFACE EQUIPMENT</b>	
SFT-281 2 SFT-178 2 GSR-U 616008 WITM (DTS)-A	

DOWNHOLE EQUIPMENT			
LEH-QT			30.21
LEH-QT 301			
DTC-H	CTEM		29.04
ECH-KC 2304	TelStatus		29.32
	ToolStatu		28.41
HNGS-BA 194	Upper_1		27.71
			27.70



Production String	(in)	(m)	Well Schematic	(m)	(in)	Casing String
	OD	ID		MD	OD	

Kelly Bushing Elevation


Derrick Floor Elevation

Mean Sea Level

11.0

11.0

0.0



0.0

5.875

Drill Pipe



1879.4

11.340

Sea Bed

1962.0

5.875

Bit Depth

2079.4

11.340

Total Depth

**Schlumberger**

Main Pass  
TD to Sea Bed

MAXIS Field Log

Input DLIS Files

DEFAULT	PI_APS_LDL_NGS_016LUP	FN:19	PRODUCER	20-Jul-2009 16:47	2082.5 M	1843.7 M
---------	-----------------------	-------	----------	-------------------	----------	----------


Output DLIS Files

DEFAULT	PI_APS_LDL_NGS_045PUP	FN:50	PRODUCER	21-Jul-2009 16:48	2082.5 M	1843.7 M
---------	-----------------------	-------	----------	-------------------	----------	----------

OP System Version: 17C0-154

DIT-E	17C0-154	GPIT-A/B	SRPC-3762-Q1_2009_OP17
DTA-A	17C0-154	APS-C	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		

Time Mark Every 60 S



SFL\_ QUAL  
From D3T  
to SFQF

IM\_ QUAL  
From SFQF  
to IMQF

ID\_ QUAL  
From IMQF  
to IDQF

Tension  
(TENS)  
(LBF)  
10000 0

SFL Unaveraged (SFLU)  
(OHMM)


Medium Induction Phasor-processed Resistivity (IMPH)  
(OHMM)

Deep Induction Phasor-processed Resistivity (IDPH)  
(OHMM)

HNGS Spectroscopy Gamma Ray  
(HSGR)  
(GAPI)

HLDS Caliper (LCAL)  
(IN)


Sea Bed




1900

1925

Minitron Off









2000

2025

2050





HLDS Caliper (LCAL) (IN)	Tension (TENS) (LBF)	Deep Induction Phasor-processed Resistivity (IDPH) (OHMM)
0 20	10000 0	0.2 20
HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)	ID_QUAL From IMQF to IDQF	Medium Induction Phasor-processed Resistivity (IMPH) (OHMM)
0 50		0.2 20
	IM_QUAL From SFQF to IMQF	SFL Unaveraged (SFLU) (OHMM)
		0.2 20
	SFL_QUAL From D3T to SFQF	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
BHS	DIT-E: Dual Induction - E Borehole Status	OPEN

BHT	Bottom Hole Temperature (used in calculations)	60	DEGF
DGF1	Deep 10 kHz Gain Factor	0.968036	
DGF2	Deep 20 kHz Gain Factor	0.981641	
DGF4	Deep 40 kHz Gain Factor	1.00354	
DPH1	Deep 10 kHz Phase Shift	0.519505	DEG
DPH2	Deep 20 kHz Phase Shift	0.58231	DEG
DPH4	Deep 40 kHz Phase Shift	-0.0231022	DEG
DRE1	Deep Real 10 kHz Sonde Error Correction	47.0269	MM/M
DRE2	Deep Real 20 kHz Sonde Error Correction	16.7871	MM/M
DRE4	Deep Real 40 kHz Sonde Error Correction	5.70109	MM/M
DRIM	DIT-E Radial Invasion Mode	Rxo>Rt	
DSR1	Deep Sigma Reference (10 kHz)	7637	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DSR4	Deep Sigma Reference (40 kHz)	405	MM/M
DSTA	DIT-E Transversal Standoff	0	IN
DXE1	Deep Quad 10 kHz Sonde Error Correction	100.491	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	62.191	MM/M
DXE4	Deep Quad 40 kHz Sonde Error Correction	44.6702	MM/M
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.01	DF/F
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ISSBAR	Barite Mud Switch	NOBARITE	
ITEN	DIT-E Temperature Enable	ENABLE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MGF1	Medium 10 kHz Gain Factor	1.00192	
MGF2	Medium 20 kHz Gain Factor	1.01122	
MGF4	Medium 40 kHz Gain Factor	1.04786	
MPH1	Medium 10 kHz Phase Shift	0.190245	DEG
MPH2	Medium 20 kHz Phase Shift	-0.139176	DEG
MPH4	Medium 40 kHz Phase Shift	-1.01614	DEG
MRE1	Medium Real 10 kHz Sonde Error Correction	17.1122	MM/M
MRE2	Medium Real 20 kHz Sonde Error Correction	-2.07993	MM/M
MRE4	Medium Real 40 kHz Sonde Error Correction	-9.895	MM/M
MSR1	Medium Sigma Reference (10 kHz)	13520	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MSR4	Medium Sigma Reference (40 kHz)	685	MM/M
MXE1	Medium Quad 10 kHz Sonde Error Correction	-94.7355	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	-32.0861	MM/M
MXE4	Medium Quad 40 kHz Sonde Error Correction	12.9006	MM/M
SBR	Shoulder Bed Resistivity Factor	1	OHMM
SFCR	SFL Channel Ratio	1000	
SFLE	SFL Enable	ENABLE	
SHT	Surface Hole Temperature	68	DEGF
SPAE	DIT-E SPARC Processing Enable	ENABLE	
SPNV	SP Next Value	0	MV
GPIT-A/B: General Purpose Inclinometer			
ACPP	Accelerometer PROM Presence	PRESENT	
AFMO	Accelerometer Filtering Mode	MOVING_AVERAGE	
ART	Accelerometer Reference Temperature	20	DEGC
GLM	GPIT Logging Mode	DIPM	
ICMO	Inclinometry Computation Mode	AUTOMATIC_SELECTION	
MAPP	Magnetometer PROM Presence	PRESENT	
MDEC	Magnetic Field Declination	9.45417	DEG
MRTE	Magneto Reference Temperature	23	DEGC
TEMS	GPIT Temperature Sensor Used	BOTH	
U-GPOF	Playback OLD VERSION GPIT FILE (BEFORE OP14 + SRPC-3098-FEB_2006_C) ?	NO	
APS-C: Accelerator-Porosity Tool			
AASD	APS Software Version	5	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1965.7	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2077.27	V
AHSS	APS Holesize Correction Source	BS	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1732.81	V
ATSS	APS Standoff Correction Switch	ON	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	ON	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BSCO_APS	Bottom Hole Temperature (used in calculations)	60	DEGF
DPPM	APS TNPH Borehole Salinity Correction Option	YES	
DSCO_APS	Density Porosity Processing Mode	HIRS	
FSAL	APS TNPH Density Source	COMPUTED	
FSCO_APS	Formation Salinity	-50000	PPM
GCSE	APS TNPH Formation Salinity Correction Option	NO	
GDEV	Generalized Caliper Selection	BS	
GGRD	Average Angular Deviation of Borehole from Normal	0	DEG
GRSE	Geothermal Gradient	0.01	DF/F
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	

GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option		YES
ISSBAR	Barite Mud Switch		NOBARITE
MATR	Rock Matrix for Neutron Porosity Corrections		LIMESTONE
MCCO_APS	APS TNPH Mud Cake Correction Option		YES
MCOR_APS	APS TNPH Mud Correction		NATU
MWCO_APS	APS TNPH Mud Weight Correction Option		YES
NARC	APS Near/Array Calibration Ratio		1.05904
NFRC	APS Near/Far Calibration Ratio		0.885245
PTCO_APS	APS TNPH Pressure/Temperature Correction Option		YES
SHT	Surface Hole Temperature		68
TNCO_APS	APS TNPH Computation Option		NO

DEGF

HLDS: Hostile Litho-Density Sonde

CLCL	HLDS LS Control Loop Controller Mode		AUTO_DEFAULT
CLCS	HLDS SS Control Loop Controller Mode		AUTO_DEFAULT
CLLS	HLDS Mode Loop Long Spacing		AUTO
CLSS	HLDS Mode Loop Short Spacing		AUTO
DHC	Density Hole Correction		BS
DPPM	Density Porosity Processing Mode		HIRS
FD	Fluid Density		1
LATC	HLDS Activation Correction		OFF
LLDL	HLDS LS Low Level Discriminator DAC		14000
LLDS	HLDS SS Low Level Discriminator DAC		14000
LLML	HLDS LS Low Level Discriminator Mode		AUTO
LLMS	HLDS SS Low Level Discriminator Mode		AUTO
MDEN	Matrix Density		2.71
PHVL	HLDS Long Spacing High Voltage Setting		1000
PHVS	HLDS Short Spacing High Voltage Setting		1000
PSDL	HLDS LS Pulse Shape Compensation DAC		30000
PSDS	HLDS SS Pulse Shape Compensation DAC		30000
PSML	HLDS LS Pulse Shape Compensation Mode		AUTO
PSMS	HLDS SS Pulse Shape Compensation Mode		AUTO

G/C3

G/C3

V

V

HNGS-BA: Hostile Natural Gamma Ray Sonde

BAR1	HNGS Detector 1 Barite Constant		1
BAR2	HNGS Detector 2 Barite Constant		1
BHK	HNGS Borehole Potassium Correction Concentration		0
BHS	Borehole Status		OPEN
BHT	Bottom Hole Temperature (used in calculations)		60
CSD1	Inner Casing Outer Diameter		0
CSD2	Outer Casing Outer Diameter		0
CSW1	Inner Casing Weight		0
CSW2	Outer Casing Weight		0
DBCC	HNGS Barite Constant Correction Flag		NONE
GCSE	Generalized Caliper Selection		BS
GDEV	Average Angular Deviation of Borehole from Normal		0
GGRD	Geothermal Gradient		0.01
GRSE	Generalized Mud Resistivity Selection		CHART_GEN_9
GTSE	Generalized Temperature Selection		LINEAR_ESTIMATE
H1P	HNGS Detector 1 Allow/Disallow In Processing		ALLOW
H2P	HNGS Detector 2 Allow/Disallow In Processing		ALLOW
HABK	HNGS Borehole Potassium Running Average		-0.0037547
HALF	HNGS Alpha Filter Length		60
HCRB	HNGS Apply Borehole Potassium Correction		NONE
HMWM	Mud Weighting Material		BARI
HNPE	HNGS Processing Enable		YES
ISSBAR	Barite Mud Switch		NOBARITE
MATR	Rock Matrix for Neutron Porosity Corrections		LIMESTONE
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate		1.3
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate		1.3
SGRC	HNGS Standard Gamma-Ray Correction Flag		YES
SHT	Surface Hole Temperature		68
TPOS	Tool Position		ECCE
VBA1	HNGS Detector 1 Variable Barite Factor Running Average		0.939679
VBA2	HNGS Detector 2 Variable Barite Factor Running Average		0.932543

DEGF

IN

IN

LB/F

LB/F

DEG

DF/F

IN

CPS

CPS

DEGF

DEGF

DIR: Directional Survey Computation

SPED	East Departure of Starting Point		0
SPND	North Departure of Starting Point		0
SPVD	TVD of Starting Point		0
TAZI	Vertical Section Azimuth		0
TIED	East Departure of Tie-in Point		0
TIMD	Along-hole depth of Tie-in Point		0
TIND	North Departure of Tie-in Point		0
TIVD	TVD of Tie-in Point		0

M

M

M

DEG

M

M

M

System and Miscellaneous

ALTDPCHAN	Name of alternate depth channel		SpeedCorrectedDepth
BS	Bit Size		11.438
BSAL	Borehole Salinity		-50000.00
CSIZ	Current Casing Size		4.500
CWEI	Casing Weight		0.00
DFD	Drilling Fluid Density		1.26
DO	Depth Offset for Playback		0.0
FLEV	Fluid Level		-50000.00
MST	Mud Sample Temperature		-50000.00
PBVSADP	Use alternate depth channel for playback		NO

IN

PPM

IN

LB/F

G/C3

M

M

DEGC

PP	Playback Processing	RECOMPUTE	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	4650	M
TDD	Total Depth - Driller	2079.40	M
TDL	Total Depth - Logger	2079.40	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: DITE\_LogPhasor      Vertical Scale: 1:200      Graphics File Created: 21-Jul-2009 16:48

### OP System Version: 17C0-154

DIT-E	17C0-154	GPIT-A/B	SRPC-3762-Q1_2009_OP17
DTA-A	17C0-154	APS-C	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		

### Input DLIS Files

DEFAULT	PI_APS_LDL_NGS_016LUP	FN:19	PRODUCER	20-Jul-2009 16:47	2082.5 M	1843.7 M
---------	-----------------------	-------	----------	-------------------	----------	----------

### Output DLIS Files

DEFAULT	PI_APS_LDL_NGS_045PUP	FN:50	PRODUCER	21-Jul-2009 16:48		
---------	-----------------------	-------	----------	-------------------	--	--



**Repeat Pass  
OH Only**

### MAXIS Field Log

### Input DLIS Files

DEFAULT	PI_APS_LDL_NGS_014LUP	FN:15	PRODUCER	20-Jul-2009 15:49	2082.5 M	2000.9 M
---------	-----------------------	-------	----------	-------------------	----------	----------

### Output DLIS Files

DEFAULT	PI_APS_LDL_NGS_050PUP	FN:1	PRODUCER	23-Aug-2009 10:09	2082.5 M	2001.0 M
---------	-----------------------	------	----------	-------------------	----------	----------

### OP System Version: 17C0-154


DIT-E	17C0-154	GPIT-A/B	SRPC-3762-Q1_2009_OP17
DTA-A	17C0-154	APS-C	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		


### PIP SUMMARY

▶ Time Mark Every 60 S

	<b>SFL_</b> <b>QUAL</b> From D3T to SFQF	
	<b>IM_QUAL</b> From SFQF to IMQF	<span style="color: green;">SFL Unaveraged (SFLU)</span> <span style="color: green;">(OHMM)</span> <span style="color: green;">0.2</span> <span style="float: right;">20</span>

HNGS Spectroscopy Gamma Ray
Medium Induction Phasor-processed Resistivity (IMPH)





<p>HLDS Caliper (LCAL) (IN)</p> <p>0 20</p>	<p>Tension (TENS) (LBF)</p> <p>10000 0</p>	<p>Deep Induction Phasor-processed Resistivity (IDPH) (OHMM)</p> <p>0.2 20</p>
<p>HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)</p> <p>0 50</p>	<p>ID_QUAL From IMQF to IDQF</p>	<p>Medium Induction Phasor-processed Resistivity (IMPH) (OHMM)</p> <p>0.2 20</p>
	<p>IM_QUAL From SFQF to IMQF</p>	<p>SFL Unaveraged (SFLU) (OHMM)</p> <p>0.2 20</p>
	<p>SFL_QUAL From D3T to SFQF</p>	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
DIT-E:	Dual Induction - E	
BHS	Borehole Status	OPEN
BHT	Bottom Hole Temperature (used in calculations)	60 DEGF
DGE1	Deep 10 kHz Gain Factor	0.968036

DGF2	Deep 2 kHz Gain Factor	0.981641	
DGF4	Deep 40 kHz Gain Factor	1.00354	
DPH1	Deep 10 kHz Phase Shift	0.519505	DEG
DPH2	Deep 20 kHz Phase Shift	0.58231	DEG
DPH4	Deep 40 kHz Phase Shift	-0.0231022	DEG
DRE1	Deep Real 10 kHz Sonde Error Correction	47.0269	MM/M
DRE2	Deep Real 20 kHz Sonde Error Correction	16.7871	MM/M
DRE4	Deep Real 40 kHz Sonde Error Correction	5.70109	MM/M
DRIM	DIT-E Radial Invasion Mode	Rxo>Rt	
DSR1	Deep Sigma Reference (10 kHz)	7637	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DSR4	Deep Sigma Reference (40 kHz)	405	MM/M
DSTA	DIT-E Transversal Standoff	0	IN
DXE1	Deep Quad 10 kHz Sonde Error Correction	100.491	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	62.191	MM/M
DXE4	Deep Quad 40 kHz Sonde Error Correction	44.6702	MM/M
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.01	DF/F
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ISSBAR	Barite Mud Switch	NOBARITE	
ITEN	DIT-E Temperature Enable	ENABLE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MGF1	Medium 10 kHz Gain Factor	1.00192	
MGF2	Medium 20 kHz Gain Factor	1.01122	
MGF4	Medium 40 kHz Gain Factor	1.04786	
MPH1	Medium 10 kHz Phase Shift	0.190245	DEG
MPH2	Medium 20 kHz Phase Shift	-0.139176	DEG
MPH4	Medium 40 kHz Phase Shift	-1.01614	DEG
MRE1	Medium Real 10 kHz Sonde Error Correction	17.1122	MM/M
MRE2	Medium Real 20 kHz Sonde Error Correction	-2.07993	MM/M
MRE4	Medium Real 40 kHz Sonde Error Correction	-9.895	MM/M
MSR1	Medium Sigma Reference (10 kHz)	13520	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MSR4	Medium Sigma Reference (40 kHz)	685	MM/M
MXE1	Medium Quad 10 kHz Sonde Error Correction	-94.7355	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	-32.0861	MM/M
MXE4	Medium Quad 40 kHz Sonde Error Correction	12.9006	MM/M
SBR	Shoulder Bed Resistivity Factor	1	OHMM
SFCR	SFL Channel Ratio	1000	
SFLE	SFL Enable	ENABLE	
SHT	Surface Hole Temperature	68	DEGF
SPAE	DIT-E SPARC Processing Enable	ENABLE	
SPNV	SP Next Value	0	MV
GPIT-A/B: General Purpose Inclinometer			
ACPP	Accelerometer PROM Presence	PRESENT	
AFMO	Accelerometer Filtering Mode	MOVING_AVERAGE	
ART	Accelerometer Reference Temperature	20	DEGC
GLM	GPIT Logging Mode	DIPM	
ICMO	Inclinometry Computation Mode	AUTOMATIC_SELECTION	
MAPP	Magnetometer PROM Presence	PRESENT	
MDEC	Magnetic Field Declination	9.45417	DEG
MRTE	Magneto Reference Temperature	23	DEGC
TEMS	GPIT Temperature Sensor Used	BOTH	
U-GPOF	Playback OLD VERSION GPIT FILE (BEFORE OP14 + SRPC-3098-FEB_2006_C) ?	NO	
APS-C: Accelerator-Porosity Tool			
AASD	APS Software Version	0	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1965.7	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2077.27	V
AHSS	APS Holesize Correction Source	BS	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1732.81	V
ATSS	APS Standoff Correction Switch	ON	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	ON	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BSCO_APS	Bottom Hole Temperature (used in calculations)	60	DEGF
DPPM	APS TNPH Borehole Salinity Correction Option	YES	
DSCO_APS	Density Porosity Processing Mode	HIRS	
FSAL	APS TNPH Density Source	COMPUTED	
FSCO_APS	Formation Salinity	-50000	PPM
GCSE	APS TNPH Formation Salinity Correction Option	NO	
GDEV	Generalized Caliper Selection	BS	
GGRD	Average Angular Deviation of Borehole from Normal	0	DEG
GRSE	Geothermal Gradient	0.01	DF/F
GTSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
U-GPOF	Generalized Temperature Selection	LINEAR_ESTIMATE	
U-GPOF	APS TNPH Logging Corrections Option	YES	



HSCO_APS	YES		
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	YES	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	YES	
NARC	APS Near/Array Calibration Ratio	1.05904	
NFRC	APS Near/Far Calibration Ratio	0.885245	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	YES	
SHT	Surface Hole Temperature	68	DEGF
TNCO_APS	APS TNPH Computation Option	NO	

HLDS: Hostile Litho-Density Sonde

CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	OFF	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	

HNGS-BA: Hostile Natural Gamma Ray Sonde

BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	60	DEGF
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.01	DF/F
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.000399859	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	BARI	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	68	DEGF
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	6.70686	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	7.126	

DIR: Directional Survey Computation

SPED	East Departure of Starting Point	0	M
SPND	North Departure of Starting Point	0	M
SPVD	TVD of Starting Point	0	M
TAZI	Vertical Section Azimuth	0	DEG
TIED	East Departure of Tie-in Point	0	M
TIMD	Along-hole depth of Tie-in Point	0	M
TIND	North Departure of Tie-in Point	0	M
TIVD	TVD of Tie-in Point	0	M

System and Miscellaneous

ALTDCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	11.438	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	4.500	IN
CWEI	Casing Weight	0.00	LB/F
DFD	Drilling Fluid Density	1.26	G/C3
DO	Depth Offset for Playback	0.0	M
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
PP	Playback Processing	NORMAL	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM

RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	4650	M
TDD	Total Depth - Driller	2079.40	M
TDL	Total Depth - Logger	2079.40	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: DITE\_LogPhasor    Vertical Scale: 1:200    Graphics File Created: 23-Aug-2009 10:09

## OP System Version: 17C0-154

DIT-E	17C0-154	GPIT-A/B	SRPC-3762-Q1_2009_OP17
DTA-A	17C0-154	APS-C	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		

### Input DLIS Files

DEFAULT	PI_APS_LDL_NGS_014LUP	FN:15	PRODUCER	20-Jul-2009 15:49	2082.5 M	2000.9 M
---------	-----------------------	-------	----------	-------------------	----------	----------

### Output DLIS Files

DEFAULT	PI_APS_LDL_NGS_050PUP	FN:1	PRODUCER	23-Aug-2009 10:09		
---------	-----------------------	------	----------	-------------------	--	--



# Calibrations

## MAXIS Field Log

### Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
General Purpose Inclinator Wellsite Calibration - CROUZET ACCELEROMETER    PROM HAS BEEN READ CORRECTLY							
Before: 20-Jul-2009 13:03							
TEMPERATURE REFERENCE :	N/A	N/A	20	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	99	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	3	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	743	N/A	N/A	N/A	
General Purpose Inclinator Wellsite Calibration - CROUZET MAGNETOMETER    PROM HAS BEEN READ CORRECTLY							
Before: 20-Jul-2009 13:03							
TEMPERATURE REFERENCE :	N/A	N/A	23	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	3	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	9	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	507	N/A	N/A	N/A	
Accelerator-Porosity Tool Wellsite Calibration - Detector Background							
Master: 18-Jun-2009 23:03    Before: 20-Jul-2009 13:08    After: 20-Jul-2009 17:38							
Near Det Bkg Cntrate	30.00	32.09	31.37	31.94	0.5673	N/A	CPS
Far Det Bkg Cntrate	30.00	31.69	32.54	32.77	0.2337	N/A	CPS
Array-1 Det Bkg Cntrate	30.00	28.61	27.80	29.25	1.451	N/A	CPS
Array-2 Det Bkg Cntrate	30.00	30.40	30.03	31.65	1.618	N/A	CPS
Array Therm Det Bkg Cntrate	30.00	32.33	32.93	31.09	-1.838	N/A	CPS
Accelerator-Porosity Tool Wellsite Calibration - Calibration Ratios							
Master: 18-Jun-2009 23:03							
Near/Far Calibration Ratio	0.9250	0.8852	N/A	N/A	N/A	N/A	
Near/Array Calibration Ratio	1.030	1.059	N/A	N/A	N/A	N/A	
Near/Array Cal Ratio Up/Down	1.000	1.008	N/A	N/A	N/A	N/A	
Accelerator-Porosity Tool Wellsite Calibration - Tank Check							
Master: 18-Jun-2009 23:03							
Array-1 Standoff Porosity	11.75	11.81	N/A	N/A	N/A	N/A	PU

Array-1 Standoff Porosity	11.75	11.56	N/A	N/A	N/A	N/A	PU
Average Slowing Down Time	6.000	5.860	N/A	N/A	N/A	N/A	US
Array-1 SDT Ratio Up/Down	1.000	0.9891	N/A	N/A	N/A	N/A	
Array-2 SDT Ratio Up/Down	1.000	1.006	N/A	N/A	N/A	N/A	
Sigma Formation	27.50	27.25	N/A	N/A	N/A	N/A	CU
Accelerator-Porosity Tool Wellsite Calibration - CCR7 signal boxes							
Master: 18-Jun-2009 23:03							
Near Detector Plateau Setting	1650	1733	N/A	N/A	N/A	N/A	V
Far Detector Plateau Setting	2000	2077	N/A	N/A	N/A	N/A	V
Array Detector Plateau Setting	2000	1966	N/A	N/A	N/A	N/A	V
Hostile Litho-Density Sonde Wellsite Calibration - Background Measurement							
Master: 30-Jun-2009 23:48 Before: 20-Jul-2009 13:08 After: 20-Jul-2009 18:59							
SS Cs Resolution Bkg	9.000	7.767	7.806	7.745	-0.06060	1.800	%
LS Cs Resolution Bkg	9.000	7.963	8.085	8.100	0.01494	1.800	%
LSW1 Background	100.0	92.51	92.08	91.98	-0.09248	3.000	CPS
LSW2 Background	100.0	83.43	83.95	83.01	-0.9406	3.000	CPS
LSW3 Background	200.0	192.3	191.3	190.1	-1.184	6.000	CPS
LSW4 Background	250.0	236.2	234.1	234.4	0.2898	7.500	CPS
LSW5 Background	600.0	548.3	547.2	549.3	2.092	18.00	CPS
SSW1 Background	100.0	90.55	89.75	90.65	0.9009	3.000	CPS
SSW2 Background	200.0	155.0	153.6	155.5	1.867	6.000	CPS
SSW3 Background	500.0	433.9	431.7	435.0	3.271	15.00	CPS
SSW4 Background	270.0	232.2	233.1	232.3	-0.8222	8.100	CPS
SSW5 Background	200.0	167.8	165.5	166.9	1.349	6.000	CPS
Hostile Litho-Density Sonde Wellsite Calibration - Aluminum Measurement							
Master: 30-Jun-2009 23:48							
LSW1 Aluminum	600.0	554.7	N/A	N/A	N/A	N/A	CPS
LSW2 Aluminum	900.0	804.9	N/A	N/A	N/A	N/A	CPS
LSW3 Aluminum	1100	966.0	N/A	N/A	N/A	N/A	CPS
LSW4 Aluminum	580.0	485.4	N/A	N/A	N/A	N/A	CPS
LSW5 Aluminum	570.0	446.3	N/A	N/A	N/A	N/A	CPS
SSW1 Aluminum	2800	2501	N/A	N/A	N/A	N/A	CPS
SSW2 Aluminum	8000	6891	N/A	N/A	N/A	N/A	CPS
SSW3 Aluminum	11600	9659	N/A	N/A	N/A	N/A	CPS
SSW4 Aluminum	5000	3955	N/A	N/A	N/A	N/A	CPS
SSW5 Aluminum	660.0	474.6	N/A	N/A	N/A	N/A	CPS
Hostile Litho-Density Sonde Wellsite Calibration - Lithology Measurement							
Master: 30-Jun-2009 23:48							
LSW1 Iron	400.0	378.8	N/A	N/A	N/A	N/A	CPS
LSW2 Iron	730.0	651.5	N/A	N/A	N/A	N/A	CPS
LSW3 Iron	1000	856.2	N/A	N/A	N/A	N/A	CPS
LSW4 Iron	520.0	445.8	N/A	N/A	N/A	N/A	CPS
LSW5 Iron	470.0	411.6	N/A	N/A	N/A	N/A	CPS
SSW1 Iron	2100	1825	N/A	N/A	N/A	N/A	CPS
SSW2 Iron	6800	5726	N/A	N/A	N/A	N/A	CPS
SSW3 Iron	10800	8806	N/A	N/A	N/A	N/A	CPS
SSW4 Iron	4600	3618	N/A	N/A	N/A	N/A	CPS
SSW5 Iron	580.0	422.6	N/A	N/A	N/A	N/A	CPS
Hostile Litho-Density Sonde Wellsite Calibration - Caliper Calibration							
Before: 16-Jul-2009 10:33							
HLDS Caliper Small Ring	12.00	N/A	13.30	N/A	N/A	N/A	IN
HLDS Caliper Large Ring	15.19	N/A	16.70	N/A	N/A	N/A	IN
Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 1 Check							
Master: 19-Jun-2009 22:52 Before: 20-Jul-2009 13:09 After: 20-Jul-2009 19:00							
Na 511 Peak Loc	40.00	39.80	39.59	39.67	0.07829	1.000	
Na 511 Peak Res	15.50	15.76	14.50	14.70	0.1987	2.000	%
High Voltage	1150	1181	1139	1143	3.388	N/A	V
Na 1785 Peak Loc	142.6	142.6	142.5	142.3	-0.2723	7.000	
Na 1785 Peak Res	8.500	8.553	8.452	7.811	-0.6412	2.000	%
Temperature	15.50	32.22	13.11	13.11	0.006503	N/A	DEGC
Na Count Rate	45.00	37.08	36.43	36.67	0.2406	8.000	CPS
Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 2 Check							
Master: 19-Jun-2009 22:52 Before: 20-Jul-2009 13:09 After: 20-Jul-2009 19:00							
Na 511 Peak Loc	40.00	39.62	39.67	39.65	-0.01482	1.000	
Na 511 Peak Res	15.50	16.69	15.09	15.03	-0.05972	2.000	%
High Voltage	1150	1114	1076	1078	1.726	N/A	V
Na 1785 Peak Loc	142.6	142.4	141.6	141.7	0.05783	7.000	
Na 1785 Peak Res	8.500	8.478	8.319	8.013	-0.3059	2.000	%
Temperature	15.50	32.71	13.07	14.40	1.323	N/A	DEGC
Na Count Rate	45.00	38.14	36.44	36.87	0.4300	8.000	CPS
Hostile Natural Gamma Ray Sonde Wellsite Calibration - Ratio Of Detector 1 To Detector 2							
Master: 19-Jun-2009 22:52 Before: 20-Jul-2009 13:09 After: 20-Jul-2009 19:00							
Coincidence Count Rate Ratio	1.000	0.9751	1.001	0.9950	-0.006335	0.05000	

Accelerator-Porosity Tool - Detector Plateau Settings :

Near Detector Plateau Setting 1733 V  
 Far Detector Plateau Setting 2077 V  
 Array Detector Plateau Setting 1966 V

Dual Induction - E / Equipment Identification

Primary Equipment:

Dual Induction Sonde DIS - HB 442  
 Dual Induction Cartridge DIC - EB 438

Auxiliary Equipment:

Mass Isolated Housing MIH - ZA 417

Dual Induction - E Wellsite Calibration

Induction Electronics (10 kHz)

Phase	ID Elect Real Offset 10 kHz	MM/M	Value	Phase	ID Elect Real Gain 10 kHz	Value	Phase	ID Elect Phase 10 kHz DEG	Value	
Before			38.90	Before		1.003	Before		9.495	
	-261.2 (Minimum)	38.83 (Nominal)	338.8 (Maximum)		0.8436 (Minimum)	0.9936 (Nominal)	1.191 (Maximum)	0.1759 (Minimum)	10.18 (Nominal)	20.18 (Maximum)
Phase	ID Elect Quad Offset 10 kHz	MM/M	Value	Phase	ID Elect Quad Gain 10 kHz	Value	Phase	IM Elect Phase 10 kHz DEG	Value	
Before			23.36	Before		0.9901	Before		12.90	
	-276.0 (Minimum)	23.99 (Nominal)	324.0 (Maximum)		0.8333 (Minimum)	0.9833 (Nominal)	1.176 (Maximum)	3.625 (Minimum)	13.63 (Nominal)	23.63 (Maximum)
Phase	IM Elect Real Offset 10 kHz	MM/M	Value	Phase	IM Elect Real Gain 10 kHz	Value				
Before			97.13	Before		0.9595				
	-452.1 (Minimum)	97.90 (Nominal)	647.9 (Maximum)		0.8095 (Minimum)	0.9595 (Nominal)	1.143 (Maximum)			
Phase	IM Elect Quad Offset 10 kHz	MM/M	Value	Phase	IM Elect Quad Gain 10 kHz	Value				
Before			94.94	Before		0.9561				
	-453.6 (Minimum)	96.36 (Nominal)	646.4 (Maximum)		0.8070 (Minimum)	0.9570 (Nominal)	1.139 (Maximum)			

Before: 20-Jul-2009 14:40

Dual Induction - E Wellsite Calibration

Induction Electronics (20 kHz)

Phase	ID Elect Real Offset 20 kHz	MM/M	Value	Phase	ID Elect Real Gain 20 kHz	Value	Phase	ID Elect Phase 20 kHz DEG	Value	
Before			15.24	Before		1.021	Before		7.573	
	-109.8 (Minimum)	15.15 (Nominal)	140.2 (Maximum)		0.8559 (Minimum)	1.006 (Nominal)	1.208 (Maximum)	-6.430 (Minimum)	8.570 (Nominal)	23.57 (Maximum)
Phase	ID Elect Quad Offset 20 kHz	MM/M	Value	Phase	ID Elect Quad Gain 20 kHz	Value	Phase	IM Elect Phase 20 kHz DEG	Value	
Before			9.297	Before		1.008	Before		11.37	
	-115.5 (Minimum)	9.522 (Nominal)	134.5 (Maximum)		0.8453 (Minimum)	0.9953 (Nominal)	1.193 (Maximum)	-2.601 (Minimum)	12.40 (Nominal)	27.40 (Maximum)
Phase	IM Elect Real Offset 20 kHz	MM/M	Value	Phase	IM Elect Real Gain 20 kHz	Value				
Before			40.47	Before		1.019				
	-184.3 (Minimum)	40.66 (Nominal)	265.7 (Maximum)		0.8562 (Minimum)	1.006 (Nominal)	1.209 (Maximum)			
Phase	IM Elect Quad Offset 20 kHz	MM/M	Value	Phase	IM Elect Quad Gain 20 kHz	Value				
Before			39.66	Before		1.015				
	-184.8 (Minimum)	40.18 (Nominal)	265.2 (Maximum)		0.8534 (Minimum)	1.003 (Nominal)	1.205 (Maximum)			

Before: 20-Jul-2009 14:41

Dual Induction - E Wellsite Calibration

Induction Electronics (40 kHz)

Phase	ID Elect Real Offset 40 kHz	MM/M	Value	Phase	ID Elect Real Gain 40 kHz	Value	Phase	ID Elect Phase 40 kHz DEG	Value	
Before			9.946	Before		0.9999	Before		25.62	
	-75.13 (Minimum)	9.871 (Nominal)	94.87 (Maximum)		0.8385 (Minimum)	0.9885 (Nominal)	1.184 (Maximum)	8.300 (Minimum)	28.30 (Nominal)	48.30 (Maximum)
Phase	ID Elect Quad Offset 40 kHz	MM/M	Value	Phase	ID Elect Quad Gain 40 kHz	Value	Phase	IM Elect Phase 40 kHz DEG	Value	

Phase	ID Elect Quad Offset 40 kHz	MM/M	Value	Phase	ID Elect Quad Gain 40 kHz	Value	Phase	IM Elect Quad Offset 40 kHz	Value		
Before			6.074	Before		0.9861	Before		29.60		
	-78.79 (Minimum)	6.213 (Nominal)	91.21 (Maximum)		0.8272 (Minimum)	0.9772 (Nominal)	1.168 (Maximum)		12.35 (Minimum)	32.35 (Nominal)	52.35 (Maximum)
Phase	IM Elect Real Offset 40 kHz	MM/M	Value	Phase	IM Elect Real Gain 40 kHz	Value					
Before			26.38	Before		1.033					
	-103.5 (Minimum)	26.51 (Nominal)	156.5 (Maximum)		0.8684 (Minimum)	1.018 (Nominal)	1.226 (Maximum)				
Phase	IM Elect Quad Offset 40 kHz	MM/M	Value	Phase	IM Elect Quad Gain 40 kHz	Value					
Before			25.94	Before		1.029					
	-103.7 (Minimum)	26.25 (Nominal)	156.3 (Maximum)		0.8652 (Minimum)	1.015 (Nominal)	1.221 (Maximum)				

Before: 20-Jul-2009 14:42

Dual Induction - E Wellsite Calibration							
SFL Electronics							
Phase	SFL Voltage Offset	MV	Value	Phase	SFL Voltage Gain	Value	
Before			1.179	Before		1.013	
	-15.00 (Minimum)	0 (Nominal)	15.00 (Maximum)		0.8500 (Minimum)	1.000 (Nominal)	1.200 (Maximum)
Phase	SFL Current Offset	MA	Value	Phase	SFL Current Gain	Value	
Before			0.009003	Before		0.9924	
	-0.6000 (Minimum)	0 (Nominal)	0.6000 (Maximum)		0.8500 (Minimum)	1.000 (Nominal)	1.200 (Maximum)

Before: 20-Jul-2009 14:42

Dual Induction - E Wellsite Calibration											
Electronics Calibration Changes Files/Depth Intervals: 8: 12191.2 - 12008.4 13: 2009.4 - 2082.1 14: 2082.5 - 2001.0 15: 1995.7 - 1920.7											
Phase	ID (R > 27 OHM-M)	MM/M	Value	Phase	ID (R < 27 OHM-M) %	Value	Phase	SFL (R < 1 OHM-M) OHMM	Value		
After			0.07394	After		0	After		0.0008669		
	0 (Minimum)	0 (Nominal)	0.7500 (Maximum)		0 (Minimum)	0 (Nominal)	2.000 (Maximum)		0 (Minimum)	0 (Nominal)	0.02000 (Maximum)
Phase	IM (R > 27 OHM-M)	MM/M	Value	Phase	IM (R < 27 OHM-M) %	Value					
After			0.07140	After		0					
	0 (Minimum)	0 (Nominal)	0.7500 (Maximum)		0 (Minimum)	0 (Nominal)	2.000 (Maximum)				
Phase	SFL (R > 27 OHM-M)	MM/M	Value	Phase	SFL (R < 27 OHM-M) %	Value					
After			0	After		0.001624					
	0 (Minimum)	0 (Nominal)	0.7500 (Maximum)		0 (Minimum)	0 (Nominal)	2.000 (Maximum)				

After: 20-Jul-2009 17:34

### General Purpose Inclinometer / Equipment Identification

Primary Equipment:		
GPIT Cartridge - A	GPIC - A	719
Auxiliary Equipment:		
GPIT Housing	GPIH - A	2864

### Accelerator-Porosity Tool / Equipment Identification

Primary Equipment:		
Accelerator-Porosity Sonde	APS - C	22
APS Minitron	MNTR - F	5589
Auxiliary Equipment:		
Accelerator-Porosity Housing	APH - AC	22
APS Calibration Water Tank	SFT - 178	2
APS Aluminum Calibrator Sleeve	SFT - 281	2

Accelerator-Porosity Tool Wellsite Calibration											
Detector Background											
Phase	Near Det Bkg Cntrate	CPS	Value	Phase	Far Det Bkg Cntrate	CPS	Value	Phase	Array-1 Det Bkg Cntrate	CPS	Value

Master		32.09	Master		31.69	Master		28.61
Before		31.37	Before		32.54	Before		27.80
After		31.94	After		32.77	After		29.25
1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)		
Phase	Array-2 Det Bkg Cntrate CPS	Value	Phase	Array Therm Det Bkg Cntrate CPS	Value			
Master		30.40	Master		32.33			
Before		30.03	Before		32.93			
After		31.65	After		31.09			
1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)					
Master: 18-Jun-2009 23:03			Before: 20-Jul-2009 13:08			After: 20-Jul-2009 17:38		

Accelerator-Porosity Tool Wellsite Calibration											
Calibration Ratios											
Phase	Near/Far Calibration Ratio		Value	Phase	Near/Array Calibration Ratio		Value	Phase	Near/Array Cal Ratio Up/Down		Value
Master			0.8852	Master			1.059	Master			1.008
0.8000 (Minimum) 0.9250 (Nominal) 1.050 (Maximum)				0.9000 (Minimum) 1.030 (Nominal) 1.170 (Maximum)				0.9700 (Minimum) 1.000 (Nominal) 1.030 (Maximum)			
Master: 18-Jun-2009 23:03											

Accelerator-Porosity Tool Wellsite Calibration											
Tank Check											
Phase	Array-1 Standoff Porosity PU		Value	Phase	Array-2 Standoff Porosity PU		Value	Phase	Average Slowing Down Time US		Value
Master			11.81	Master			11.56	Master			5.860
9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)				9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)				5.500 (Minimum) 6.000 (Nominal) 6.250 (Maximum)			
Phase	Array-1 SDT Ratio Up/Down		Value	Phase	Array-2 SDT Ratio Up/Down		Value	Phase	Sigma Formation CU		Value
Master			0.9891	Master			1.006	Master			27.25
0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)				0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)				20.00 (Minimum) 27.50 (Nominal) 35.00 (Maximum)			
Master: 18-Jun-2009 23:03											

Hostile Litho-Density Sonde / Equipment Identification			
Primary Equipment:			
Hostile Litho Density Sonde	HLDS - D	57	
Hostile Litho Density High Voltage	HLDV - D	51	
Gamma Source Radioactive	GSR - Z	2397	
Auxiliary Equipment:			
Hostile Litho Density Pad	HLDP - C	61	
Hostile Litho Density High Voltage Housi	HEH - H	53	

Hostile Litho-Density Sonde Wellsite Calibration											
Background Measurement											
Phase	SS Cs Resolution Bkg %		Value	Phase	LS Cs Resolution Bkg %		Value	Phase	LSW1 Background CPS		Value
Master			7.767	Master			7.963	Master			92.51
Before			7.806	Before			8.085	Before			92.08
After			7.745	After			8.100	After			91.98
7.000 (Minimum) 9.000 (Nominal) 11.00 (Maximum)				7.000 (Minimum) 9.000 (Nominal) 11.00 (Maximum)				55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			
Phase	LSW2 Background CPS		Value	Phase	LSW3 Background CPS		Value	Phase	LSW4 Background CPS		Value
Master			83.43	Master			192.3	Master			236.2
Before			83.95	Before			191.3	Before			234.1
After			83.01	After			190.1	After			234.4
50.00 (Minimum) 100.0 (Nominal) 140.0 (Maximum)				110.0 (Minimum) 200.0 (Nominal) 290.0 (Maximum)				140.0 (Minimum) 250.0 (Nominal) 360.0 (Maximum)			
Phase	LSW5 Background CPS		Value	Phase	SSW1 Background CPS		Value	Phase	SSW2 Background CPS		Value
Master			548.3	Master			90.55	Master			155.0
Before			547.2	Before			89.75	Before			152.6

Before		347.2	Before		99.75	Before		153.0
After		549.3	After		90.65	After		155.5
330.0 (Minimum) 600.0 (Nominal) 830.0 (Maximum)			55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			100.0 (Minimum) 200.0 (Nominal) 260.0 (Maximum)		
Phase	SSW3 Background CPS	Value	Phase	SSW4 Background CPS	Value	Phase	SSW5 Background CPS	Value
Master		433.9	Master		232.2	Master		167.8
Before		431.7	Before		233.1	Before		165.5
After		435.0	After		232.3	After		166.9
280.0 (Minimum) 500.0 (Nominal) 700.0 (Maximum)			150.0 (Minimum) 270.0 (Nominal) 380.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 270.0 (Maximum)		
Master: 30-Jun-2009 23:48			Before: 20-Jul-2009 13:08			After: 20-Jul-2009 18:59		

Litho-Density Spectroscopy Cartridge - B / Equipment Identification

Primary Equipment:  
LDSC Cartridge LDSC - B 326

Auxiliary Equipment:  
LDSC Housing LDSC - A 319

Hostile Natural Gamma Ray Cartridge - B / Equipment Identification

Primary Equipment:  
HNGC Cartridge HNGC - B 300

Auxiliary Equipment:  
HNGC Housing HNGH - A 115

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment:  
HNGS Sonde HNGS - BA 194

Auxiliary Equipment:  
HNGS Sonde Housing HNSH - BA 205  
Gamma Source Radioactive GSR - U 616008

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 1 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		39.80	Master		15.76	Master		1181
Before		39.59	Before		14.50	Before		1139
After		39.67	After		14.70	After		1143
37.50 (Minimum) 40.00 (Nominal) 43.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)		
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		142.6	Master		8.553	Master		32.22
Before		142.5	Before		8.452	Before		13.11
After		142.3	After		7.811	After		13.11
135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)		
Phase	Na Count Rate CPS	Value						
Master		37.08						
Before		36.43						
After		36.67						
10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)								
Master: 19-Jun-2009 22:52			Before: 20-Jul-2009 13:09			After: 20-Jul-2009 19:00		

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 2 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value	
Master		39.62	Master		16.69	Master		1114	
Before		39.67	Before		15.09	Before		1076	
After		39.65	After		15.03	After		1078	
	37.50 (Minimum)	40.00 (Nominal)	43.50 (Maximum)	12.00 (Minimum)	15.50 (Nominal)	19.00 (Maximum)	900.0 (Minimum)	1150 (Nominal)	1600 (Maximum)
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value	
Master		142.4	Master		8.478	Master		32.71	
Before		141.6	Before		8.319	Before		13.07	
After		141.7	After		8.013	After		14.40	
	135.0 (Minimum)	142.6 (Nominal)	150.3 (Maximum)	7.000 (Minimum)	8.500 (Nominal)	11.00 (Maximum)	-28.89 (Minimum)	15.50 (Nominal)	60.00 (Maximum)
Phase	Na Count Rate CPS	Value							
Master		38.14							
Before		36.44							
After		36.87							
	10.00 (Minimum)	45.00 (Nominal)	100.0 (Maximum)						
Master: 19-Jun-2009 22:52			Before: 20-Jul-2009 13:09			After: 20-Jul-2009 19:00			

Hostile Natural Gamma Ray Sonde Wellsite Calibration			
Ratio Of Detector 1 To Detector 2			
Phase	Coincidence Count Rate Ratio	Value	
Master		0.9751	
Before		1.001	
After		0.9950	
	0.9500 (Minimum)	1.000 (Nominal)	1.050 (Maximum)
Master: 19-Jun-2009 22:52			
Before: 20-Jul-2009 13:09			
After: 20-Jul-2009 19:00			

DTS Telemetry Tool / Equipment Identification

Primary Equipment:

DTC-H Auxiliary Cartridge  
DTC-H Telemetry Cartridge

DTCH - A  
DTCH - A 8798

Auxiliary Equipment:

DTCH Telemetry Cartridge Housing

ECH - KC 2304

Company: Lamont Doherty



Well: Expedition 323 Site U1339D

Field: Bering Sea

Rig: JOIDES Resolution

Country: USA



Phasor Induction

Natural Gamma

Spectroscopy