

# Schlumberger

GEOFRAME  
PROCESSED  
INTERPRETATION

# Processed FMS Images Depth Reference: WMSF

\* A Mark of Schlumberger

Using the following logs: FMS/DSI/GPIT/HNGS

COMPANY: Lamont-Doherty Earth Observatory  
WELL: Expedition 330 Hole U1376A  
FIELD: Louisville Seamounts  
Rig: JOIDES Resolution  
Ocean: Pacific  
COUNTRY: USA  
Date Logged: 3-Feb-2011 Date Processed:  
Well Location: Latitude: S 32.2165\*  
Longitude: W 171.88067 Deg  
Elevations: KB: 11m DF: 11m GL: -1513.5m  
API Number: Job Number:

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

Field Recording: Location: Houston Software Version: 17C0-154 Engineer: K. Swain

Office Recording: ICS Center: Baseline: Log Analyst:


### Mud and Borehole Measurements:

Rm @ Measured Temperature: @	BHT: 6.11111degC	Bitsize: 9.875in
Rmf @ Measured Temperature: @	Type Fluid in Hole:	Seawater
Rmc @ Measured Temperature: @	Mud Density: 1.258g/cm3	

### Remarks:


Data depth-shifted and depth-matched. Depth reference: m WMSF. Drill pipe at 79.5 m WMSF. Water depth at 1513.5 m WRF. Average peak-to-peak heave: 0.5-1 m. Wireline heave compensator used during the logging operation.


	C2_FMS_main -16 (in) 16	HSGR_FMS_mai 0 (gAPI) 50		FMS_main_static Horizontal Scale: 1 : 8.491 Orientation North	FMS_main-dynamic Horizontal Scale: 1 : 8.491 Orientation North
	C1_FMS_main 16 (in) -16	HCGR_FMS_mai 0 (gAPI) 50	IMPH_DIT_mai 0.3 (ohm.m) 3000	0 120 240 360	0 120 240 360
MD 1 : 200 m	lgp_Area_17_	lgp_Area_178	IDPH_DIT_mai 0.3 (ohm.m) 3000	ResistiveFMS4 Image ResistiveFMS4 Image	ResistiveFMS4 Image ResistiveFMS4 Image



150

175





MD 1 : 200 m	lgp_Area_17_	lgp_Area_178	IDPH_DIT_mai 0.3 ( ohm.m ) 3000	FMS_main_static Horizontal Scale: 1 : 8.491 Orientation North 0 120 240 360 ResistiveFMS4 Imageconductive	FMS_main-dynamic Horizontal Scale: 1 : 8.491 Orientation North 0 120 240 360 ResistiveFMS4 Imageconductive
	C1_FMS_main 16 ( in ) -16	HCGR_FMS_mai 0 ( gAPI ) 50	IMPH_DIT_mai 0.3 ( ohm.m ) 3000		
	C2_FMS_main -16 ( in ) 16	HSGR_FMS_mai 0 ( gAPI ) 50			