

Company: Lamont Doherty

Well: ODP Leg 204, Site 1245 E

Field: Hydrate Ridge

Ocean: Pacific **State:** Oregon

Phasor Induction Natural Gamma Ray

Ocean: Pacific		Elev.: K.B. 11.3 m	
Field: Hydrate Ridge		G.L. -882 m	
Location: N 44° 35.1708'		D.F. 11 m	
Well: ODP Leg 204, Site 1245 E		Elev.: 0 m	
Company: Lamont Doherty		11.3 m above Perm. Datum	
LOCATION			
N 44° 35.1708'			
W 125° 8.9627'			
Permanent Datum: _____		MSL _____	
Log Measured From: _____		RKB _____	
Drilling Measured From: _____		RKB _____	
API Serial No. _____	Max. Hole Devi. _____	Longitude _____	Latitude _____

Logging Date	14-Aug-2002		
Run Number	1		
Depth Driller	1421 m		
Schlumberger Depth	1201 m		
Bottom Log Interval	1195 m		
Top Log Interval	883 m		
Casing Driller Size @ Depth	0.000 in @ 956 m		
Casing Schlumberger	956 m		
Bit Size	9.875 in		
Type Fluid In Hole	Salt water/ Sepiolite		
Density	1.1 g/cm3		
Fluid Loss	PH _____		
Source Of Sample	Mudpit		
RM @ Measured Temperature	0.322 ohm.m @		27 degC
RMF @ Measured Temperature	@		@
RMC @ Measured Temperature	@		@
Source RMF	RMC		
RM @ MRT	0.402 @ 17	@ 17	@
Maximum Recorded Temperatures	17 degC		
Circulation Stopped	14-Aug-2002	Time	18:00
Logger On Bottom	14-Aug-2002	Time	21:53
Unit Number	99	Location	Houston
Recorded By	K. Swain		
Witnessed By	G. Guerin, S. Barr, T. Collett		

Logging Date	Run 1	Run 2	Run
Run Number			
Depth Driller			
Schlumberger Depth			
Bottom Log Interval			
Top Log Interval			
Casing Driller Size @ Depth			
Casing Schlumberger			
Bit Size			
Type Fluid In Hole			
Density			
Fluid Loss			
Source Of Sample			
RM @ Measured Temperature			
RMF @ Measured Temperature			
RMC @ Measured Temperature			
Source RMF			
RM @ MRT			
Maximum Recorded Temperatures			
Circulation Stopped			
Logger On Bottom			
Unit Number			
Recorded By			
Witnessed By			

DISCLAIMER

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.



OTHER SERVICES1 OS1: IPL OS2: FMS/DSST OS3: VSI OS4: OS5:	OTHER SERVICES2 OS1: OS2: OS3: OS4: OS5:
--	---


REMARKS: RUN NUMBER 1 Depths in meters below rig floor, mbrf. Rig stuck at 1232 mbrf but became free, logging TD at 1201 mbrf. Drill pipe SLB at 956 mbrf. Sea floor SLB at 883 mbrf.	REMARKS: RUN NUMBER 2
---	-----------------------

RUN 1			RUN 2		
SERVICE ORDER #:	10C0-306		SERVICE ORDER #:		
PROGRAM VERSION:			PROGRAM VERSION:		
FLUID LEVEL:			FLUID LEVEL:		
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP

EQUIPMENT DESCRIPTION

RUN 1		RUN 2	
SURFACE EQUIPMENT			
SFT-281 24 SFT-178 4722 GSR-U 135 WITM (DTS)-A			

DOWNHOLE EQUIPMENT			
LEH-QT		34.84	
LEH-QT 1497			
AH-QSST		33.95	
AH-QSST 12			
DTC-H	CTEM	32.30	
ECH-KC 9841	TelStatus		
	ToolStatu	31.66	32.58



TOOL ZERO

MAXIMUM STRING DIAMETER 3.88 IN
 MEASUREMENTS RELATIVE TO TOOL ZERO
 ALL LENGTHS IN METERS

Input DLIS Files

DEFAULT PI_LDL_APS_NGS_008LUP FN:9 PRODUCER 14-Aug-2002 21:49 1202.4 M 858.6 M

Output DLIS Files

REDUCE PI_LDL_APS_NGS_037PUP FN:46 PRODUCER 28-Aug-2002 02:29 1202.4 M 864.3 M


OP System Version: 10C0-306


MCM


DIT-E	10C0-306	HLDT-A	10C0-306
DTA-A	10C0-306	NPLC-B	OP10-KP1
APS-BA	OP10-KP1	HNGS-BA	OP10-KP1
DTC-H	10C0-306		

PIP SUMMARY

▶ Time Mark Every 60 S








925

950

975


DRILL PIPE


CALIPER CLOSED



1000


1025






1050


1075






1100

1125





0	20	0.2	20
Caliper (CALI) (IN)		Deep Induction Phasor-processed Resistivity (IDPH) (OHMM)	
HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)		Medium Induction Phasor-processed Resistivity (IMPH) (OHMM)	
0		20	
100		0.2	
MAIN LOG		SFL Unaveraged (SFLU) (OHMM)	
0.2		20	
		Tension (TENS) (LBF)	
		10000	
		0	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
DIT-E: Dual Induction - E			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
DGF2	Deep 20 kHz Gain Factor	1.00789	
DPH2	Deep 20 kHz Phase Shift	-0.152394	DEG
DRE2	Deep Real 20 kHz Sonde Error Correction	16.357	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	64.6326	MM/M
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ITEN	DIT-E Temperature Enable	ENABLE	
MGF2	Medium 20 kHz Gain Factor	1.02964	
MPH2	Medium 20 kHz Phase Shift	-0.933067	DEG
MRE2	Medium Real 20 kHz Sonde Error Correction	-1.78642	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	-34.2041	MM/M
SFCR	SFL Channel Ratio	1000	
SHT	Surface Hole Temperature	20	DEGC
APS-BA: Accelerator-Porosity Tool			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
SHT	Surface Hole Temperature	20	DEGC
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00989776	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS

S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.949044	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.95209	
System and Miscellaneous			
BS	Bit Size	9.875	IN
DFD	Drilling Fluid Density	1.10	G/C3
DO	Depth Offset for Playback	0.0	M
PP	Playback Processing	NORMAL	
TD	Total Depth	-50000	M

Format: DITE_LogPhasor Vertical Scale: 1:200 Graphics File Created: 28-Aug-2002 02:29

OP System Version: 10C0-306 MCM

DIT-E	10C0-306	HLDT-A	10C0-306
DTA-A	10C0-306	NPLC-B	OP10-KP1
APS-BA	OP10-KP1	HNGS-BA	OP10-KP1
DTC-H	10C0-306		

Input DLIS Files

DEFAULT	PI_LDL_APS_NGS_008LUP	FN:9	PRODUCER	14-Aug-2002 21:49	1202.4 M	858.6 M
---------	-----------------------	------	----------	-------------------	----------	---------

Output DLIS Files

REDUCE	PI_LDL_APS_NGS_037PUP	FN:46	PRODUCER	28-Aug-2002 02:29		
--------	-----------------------	-------	----------	-------------------	--	--

Input DLIS Files

DEFAULT	PI_LDL_APS_NGS_021LUP	FN:23	PRODUCER	15-Aug-2002 00:38	1108.7 M	980.1 M
---------	-----------------------	-------	----------	-------------------	----------	---------

Output DLIS Files



REDUCE	PI_LDL_APS_NGS_038PUP	FN:47	PRODUCER	28-Aug-2002 02:33	1108.7 M	985.4 M
--------	-----------------------	-------	----------	-------------------	----------	---------


OP System Version: 10C0-306 MCM

DIT-E	10C0-306	HLDT-A	10C0-306
DTA-A	10C0-306	NPLC-B	OP10-KP1
APS-BA	OP10-KP1	HNGS-BA	OP10-KP1
DTC-H	10C0-306		

PIP SUMMARY


Time Mark Every 60 S








1000

1025







PIP SUMMARY

▶ Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
DIT-E: Dual Induction - E			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
DGF2	Deep 20 kHz Gain Factor	1.00789	
DPH2	Deep 20 kHz Phase Shift	-0.152394	DEG
DRE2	Deep Real 20 kHz Sonde Error Correction	16.357	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	64.6326	MM/M
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ITEN	DIT-E Temperature Enable	ENABLE	
MGF2	Medium 20 kHz Gain Factor	1.02964	
MPH2	Medium 20 kHz Phase Shift	-0.933067	DEG
MRE2	Medium Real 20 kHz Sonde Error Correction	-1.78642	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	-34.2041	MM/M
SFCR	SFL Channel Ratio	1000	
SHT	Surface Hole Temperature	20	DEGC
APS-BA: Accelerator-Porosity Tool			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
SHT	Surface Hole Temperature	20	DEGC
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	12	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F

DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	CALI	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00989776	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.949044	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.95209	
System and Miscellaneous			
BS	Bit Size	9.875	IN
DFD	Drilling Fluid Density	1.10	G/C3
DO	Depth Offset for Playback	0.0	M
PP	Playback Processing	NORMAL	
TD	Total Depth	-50000	M

Format: DITE_LogPhasor Vertical Scale: 1:200 Graphics File Created: 28-Aug-2002 02:33

OP System Version: 10C0-306			
MCM			
DIT-E	10C0-306	HLDT-A	10C0-306
DTA-A	10C0-306	NPLC-B	OP10-KP1
APS-BA	OP10-KP1	HNGS-BA	OP10-KP1
DTC-H	10C0-306		

Input DLIS Files						
DEFAULT	PI_LDL_APS_NGS_021LUP	FN:23	PRODUCER	15-Aug-2002 00:38	1108.7 M	980.1 M
Output DLIS Files						
REDUCE	PI_LDL_APS_NGS_038PUP	FN:47	PRODUCER	28-Aug-2002 02:33		

Calibration and Check Summary								
Measurement	Nominal	Master	Before	After	Change	Limit	Units	
Hostile Environment Litho Density - A Wellsite Calibration - Background Measurement								
Master: 10-Aug-2002 14:41 Before: 10-Aug-2002 18:55 After: 15-Aug-2002 2:56								
LSW1 Background	100.0	87.71	86.31	87.71	1.398	0.03000	CPS	
LSW2 Background	105.0	92.23	90.58	91.79	1.215	0.03000	CPS	
LSW3 Background	210.0	178.9	175.1	178.6	3.453	0.03000	CPS	
LSW4 Background	290.0	237.2	235.2	234.3	-0.9699	0.03000	CPS	
LSW5 Background	610.0	515.8	517.0	519.4	2.378	0.03000	CPS	
SSW1 Background	100.0	85.59	83.89	84.14	0.2507	0.03000	CPS	
SSW2 Background	200.0	165.7	167.5	166.4	-1.033	0.03000	CPS	
SSW3 Background	530.0	437.0	438.4	438.7	0.2879	0.03000	CPS	
SSW4 Background	280.0	232.7	231.4	232.2	0.7736	0.03000	CPS	
SSW5 Background	205.0	174.6	172.9	175.0	2.156	0.03000	CPS	
Hostile Environment Litho Density - A Wellsite Calibration - Tool Quality Control Information High Voltage								
Master: 10-Aug-2002 14:41 Before: 10-Aug-2002 18:55 After: 15-Aug-2002 2:56								
LS Bkg. High Voltage	1131	1131	1134	1131	-3.002	N/A	V	
SS Bkg. High Voltage	1175	1175	1176	1172	-4.523	N/A	V	
Hostile Environment Litho Density - A Wellsite Calibration - Detectors Resolution From BKG Measurements								
Master: 10-Aug-2002 14:41 Before: 10-Aug-2002 18:55 After: 15-Aug-2002 2:56								
LS Background Resolution	1.000	1.033	1.043	1.028	-0.01519	N/A		
SS Background Resolution	1.000	0.9460	0.9414	0.9424	0.0009627	N/A		
Hostile Environment Litho Density - A Wellsite Calibration - Caliper Calibration								
Before: 10-Aug-2002 19:49								
Caliper Small Ring	12.00	N/A	17.12	N/A	N/A	N/A	IN	
Caliper Large Ring	15.30	N/A	21.12	N/A	N/A	N/A	IN	

Accelerator-Porosity Tool Wellsite Calibration - Detector Background

Master: 24-Jul-2002 3:08 Before: 14-Aug-2002 22:54 After: 15-Aug-2002 2:20

Near Det Bkg Cntrate	30.00	32.30	33.22	32.70	-0.5201	N/A	CPS
Far Det Bkg Cntrate	30.00	33.62	33.08	33.29	0.2117	N/A	CPS
Array-1 Det Bkg Cntrate	30.00	28.88	29.55	29.79	0.2428	N/A	CPS
Array-2 Det Bkg Cntrate	30.00	29.64	31.18	29.71	-1.475	N/A	CPS
Array Therm Det Bkg Cntrate	30.00	32.75	35.03	33.48	-1.550	N/A	CPS

Accelerator-Porosity Tool Wellsite Calibration - Calibration Ratios

Master: 24-Jul-2002 3:08

Near/Far Calibration Ratio	0.9250	0.9076	N/A	N/A	N/A	N/A	
Near/Array Calibration Ratio	1.030	1.066	N/A	N/A	N/A	N/A	
Near/Array Cal Ratio Up/Down	1.000	1.006	N/A	N/A	N/A	N/A	

Accelerator-Porosity Tool Wellsite Calibration - Tank Check

Master: 24-Jul-2002 3:09

Array-1 Standoff Porosity	11.75	11.51	N/A	N/A	N/A	N/A	PU
Array-2 Standoff Porosity	11.75	11.19	N/A	N/A	N/A	N/A	PU
Average Slowing Down Time	6.000	5.884	N/A	N/A	N/A	N/A	US
Array-1 SDT Ratio Up/Down	1.000	0.9901	N/A	N/A	N/A	N/A	
Array-2 SDT Ratio Up/Down	1.000	0.9732	N/A	N/A	N/A	N/A	
Sigma Formation	27.50	27.88	N/A	N/A	N/A	N/A	CU

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 1 Check

Master: 12-Jul-2002 21:08 Before: 24-Jul-2002 6:59 After: 15-Aug-2002 3:01

Na 511 Peak Loc	40.00	40.59	40.60	40.56	-0.03789	1.000	
Na 511 Peak Res	15.50	16.79	16.89	16.56	-0.3257	2.000	%
High Voltage	1150	1224	1220	1219	-1.032	30.00	V
Na 1785 Peak Loc	142.6	145.1	146.3	145.7	-0.5972	7.000	
Na 1785 Peak Res	8.500	10.40	8.694	8.617	-0.07694	2.000	%
Temperature	15.50	24.98	22.43	22.28	-0.1454	N/A	DEGC
Na Count Rate	45.00	50.31	49.89	49.07	-0.8164	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 2 Check

Master: 12-Jul-2002 21:08 Before: 24-Jul-2002 6:59 After: 15-Aug-2002 3:01

Na 511 Peak Loc	40.00	40.58	40.59	40.53	-0.06694	1.000	
Na 511 Peak Res	15.50	16.72	16.53	16.72	0.1935	2.000	%
High Voltage	1150	1253	1250	1245	-4.557	30.00	V
Na 1785 Peak Loc	142.6	144.7	144.3	144.5	0.1626	7.000	
Na 1785 Peak Res	8.500	9.766	9.897	8.738	-1.159	2.000	%
Temperature	15.50	24.15	21.87	22.37	0.5064	N/A	DEGC
Na Count Rate	45.00	50.19	49.39	48.82	-0.5724	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Ratio Of Detector 1 To Detector 2

Master: 12-Jul-2002 21:08 Before: 24-Jul-2002 6:59 After: 15-Aug-2002 3:01

Coincidence Count Rate Ratio	1.000	1.004	1.010	1.006	-0.003504	0.05000	
------------------------------	-------	-------	-------	-------	-----------	---------	--

Hostile Natural Gamma Ray Sonde Master Calibration - Detector 1 Calibration

Master: 12-Jul-2002 21:01

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	208.9	--	--	--	--	
Th Peak Res	7.000	8.227	--	--	--	--	%
Background Count Rate	142.5	24.67	--	--	--	--	CPS
Gain Ratio	1.000	0.9793	--	--	--	--	

Hostile Natural Gamma Ray Sonde Master Calibration - Detector 2 Calibration

Master: 12-Jul-2002 21:01

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	208.8	--	--	--	--	
Th Peak Res	7.000	8.191	--	--	--	--	%
Background Count Rate	142.5	22.68	--	--	--	--	CPS
Gain Ratio	1.000	0.9792	--	--	--	--	

Accelerator-Porosity Tool - Detector Plateau Settings :

Near Detector Plateau Setting 1748 V
Far Detector Plateau Setting 2052 V
Array Detector Plateau Setting 1969 V

Dual Induction - E / Equipment Identification

Primary Equipment:

Dual Induction Sonde DIS - HB 442
Dual Induction Cartridge DIC - EB 438

Auxiliary Equipment:

Dual Induction - E Wellsite Calibration										
Induction Electronics (10 kHz)										
Phase	ID Elect Real Offset 10 kHz	MM/M	Value	Phase	ID Elect Real Gain 10 kHz	Value	Phase	ID Elect Phase 10 kHz DEG	Value	
Before			37.53	Before		0.9770	Before		10.63	
	-262.8 (Minimum)	37.15 (Nominal)	337.2 (Maximum)		0.8294 (Minimum)	0.9794 (Nominal)	1.171 (Maximum)	0.6325 (Minimum)	10.63 (Nominal)	20.63 (Maximum)
Phase	ID Elect Quad Offset 10 kHz	MM/M	Value	Phase	ID Elect Quad Gain 10 kHz	Value	Phase	IM Elect Phase 10 kHz DEG	Value	
Before			22.25	Before		0.9660	Before		13.27	
	-277.5 (Minimum)	22.53 (Nominal)	322.5 (Maximum)		0.8193 (Minimum)	0.9693 (Nominal)	1.157 (Maximum)	3.310 (Minimum)	13.31 (Nominal)	23.31 (Maximum)
Phase	IM Elect Real Offset 10 kHz	MM/M	Value	Phase	IM Elect Real Gain 10 kHz	Value				
Before			96.05	Before		0.9527				
	-453.5 (Minimum)	96.54 (Nominal)	646.5 (Maximum)		0.8074 (Minimum)	0.9574 (Nominal)				1.140 (Maximum)
Phase	IM Elect Quad Offset 10 kHz	MM/M	Value	Phase	IM Elect Quad Gain 10 kHz	Value				
Before			94.74	Before		0.9503				
	-454.8 (Minimum)	95.18 (Nominal)	645.2 (Maximum)		0.8055 (Minimum)	0.9555 (Nominal)				1.137 (Maximum)

Before: 24-Jul-2002 7:24

Dual Induction - E Wellsite Calibration										
Induction Electronics (20 kHz)										
Phase	ID Elect Real Offset 20 kHz	MM/M	Value	Phase	ID Elect Real Gain 20 kHz	Value	Phase	ID Elect Phase 20 kHz DEG	Value	
Before			14.85	Before		1.004	Before		9.036	
	-110.3 (Minimum)	14.68 (Nominal)	139.7 (Maximum)		0.8551 (Minimum)	1.005 (Nominal)	1.207 (Maximum)	-5.718 (Minimum)	9.282 (Nominal)	24.28 (Maximum)
Phase	ID Elect Quad Offset 20 kHz	MM/M	Value	Phase	ID Elect Quad Gain 20 kHz	Value	Phase	IM Elect Phase 20 kHz DEG	Value	
Before			8.842	Before		0.9923	Before		12.07	
	-115.9 (Minimum)	9.089 (Nominal)	134.1 (Maximum)		0.8445 (Minimum)	0.9945 (Nominal)	1.192 (Maximum)	-2.653 (Minimum)	12.35 (Nominal)	27.35 (Maximum)
Phase	IM Elect Real Offset 20 kHz	MM/M	Value	Phase	IM Elect Real Gain 20 kHz	Value				
Before			39.82	Before		1.010				
	-184.7 (Minimum)	40.31 (Nominal)	265.3 (Maximum)		0.8587 (Minimum)	1.009 (Nominal)				1.212 (Maximum)
Phase	IM Elect Quad Offset 20 kHz	MM/M	Value	Phase	IM Elect Quad Gain 20 kHz	Value				
Before			39.36	Before		1.007				
	-185.2 (Minimum)	39.80 (Nominal)	264.8 (Maximum)		0.8566 (Minimum)	1.007 (Nominal)				1.209 (Maximum)

Before: 24-Jul-2002 6:54

Dual Induction - E Wellsite Calibration										
Induction Electronics (40 kHz)										
Phase	ID Elect Real Offset 40 kHz	MM/M	Value	Phase	ID Elect Real Gain 40 kHz	Value	Phase	ID Elect Phase 40 kHz DEG	Value	
Before			9.741	Before		0.9887	Before		27.54	
	-75.43 (Minimum)	9.570 (Nominal)	94.57 (Maximum)		0.8395 (Minimum)	0.9895 (Nominal)	1.185 (Maximum)	9.068 (Minimum)	29.07 (Nominal)	49.07 (Maximum)
Phase	ID Elect Quad Offset 40 kHz	MM/M	Value	Phase	ID Elect Quad Gain 40 kHz	Value	Phase	IM Elect Phase 40 kHz DEG	Value	
Before			5.856	Before		0.9765	Before		31.11	
	-79.10 (Minimum)	5.897 (Nominal)	90.90 (Maximum)		0.8281 (Minimum)	0.9781 (Nominal)	1.169 (Maximum)	12.68 (Minimum)	32.68 (Nominal)	52.68 (Maximum)
Phase	IM Elect Real Offset 40 kHz	MM/M	Value	Phase	IM Elect Real Gain 40 kHz	Value				
Before			26.08	Before		1.025				
	-103.8 (Minimum)	26.19 (Nominal)	156.2 (Maximum)		0.8673 (Minimum)	1.017 (Nominal)				1.224 (Maximum)
Phase	IM Elect Quad Offset 40 kHz	MM/M	Value	Phase	IM Elect Quad Gain 40 kHz	Value				
Before			25.86	Before		1.022				
	-104.1 (Minimum)	25.92 (Nominal)	155.9 (Maximum)		0.8649 (Minimum)	1.015 (Nominal)				1.221 (Maximum)

Before: 24-Jul-2002 7:26

Dual Induction - E Wellsite Calibration									
SFL Electronics									

SFL Voltage Offset MV			SFL Voltage Gain		
Phase	Value	Value	Phase	Value	Value
Before		1.196	Before		1.016
-15.00 (Minimum)	0 (Nominal)	15.00 (Maximum)	0.8500 (Minimum)	1.000 (Nominal)	1.200 (Maximum)
SFL Current Offset MA			SFL Current Gain		
Phase	Value	Value	Phase	Value	Value
Before		0.005420	Before		0.9940
-0.6000 (Minimum)	0 (Nominal)	0.6000 (Maximum)	0.8500 (Minimum)	1.000 (Nominal)	1.200 (Maximum)

Before: 24-Jul-2002 6:55

Dual Induction - E Wellsite Calibration									
Electronics Calibration Changes Files/Depth Intervals:									
ID (R > 27 OHM-M) MM/M			ID (R < 27 OHM-M) %			SFL (R < 1 OHM-M) OHMM			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
After		0	After		0.0001640	After		0.0005177	
0 (Minimum)	0 (Nominal)	0.7500 (Maximum)	0 (Minimum)	0 (Nominal)	2.000 (Maximum)	0 (Minimum)	0 (Nominal)	0.02000 (Maximum)	
IM (R > 27 OHM-M) MM/M			IM (R < 27 OHM-M) %						
Phase	Value	Value	Phase	Value	Value				
After		0	After		0.0001433				
0 (Minimum)	0 (Nominal)	0.7500 (Maximum)	0 (Minimum)	0 (Nominal)	2.000 (Maximum)				
SFL (R > 27 OHM-M) MM/M			SFL (R < 27 OHM-M) %						
Phase	Value	Value	Phase	Value	Value				
After		0	After		0.0003939				
0 (Minimum)	0 (Nominal)	0.7500 (Maximum)	0 (Minimum)	0 (Nominal)	2.000 (Maximum)				

After: 15-Aug-2002 2:07

Dual Induction - E Master Calibration									
Test Loop Calibration: Calibration of Internal Reference to Test Loop Standard									
Deep 10 kHz Gain Factor			Deep 20 kHz Gain Factor			Deep 40 kHz Gain Factor			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		0.9956	Master		1.008	Master		1.026	
0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	
Medium 10 kHz Gain Factor			Medium 20 kHz Gain Factor			Medium 40 kHz Gain Factor			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		1.022	Master		1.030	Master		1.061	
0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	
Deep 10 kHz Phase Shift			Deep 20 kHz Phase Shift			Deep 40 kHz Phase Shift			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		0.1143	Master		-0.1524	Master		-1.426	
-1.500 (Minimum)	0 (Nominal)	1.500 (Maximum)	-2.000 (Minimum)	0 (Nominal)	2.000 (Maximum)	-4.000 (Minimum)	-1.000 (Nominal)	2.000 (Maximum)	
Medium 10 kHz Phase Shift			Medium 20 kHz Phase Shift			Medium 40 kHz Phase Shift			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		-0.2558	Master		-0.9331	Master		-2.461	
-1.500 (Minimum)	0 (Nominal)	1.500 (Maximum)	-3.000 (Minimum)	-1.000 (Nominal)	1.000 (Maximum)	-5.000 (Minimum)	-2.000 (Nominal)	1.000 (Maximum)	

Master: Calibration out of date 5-Oct-2001 20:50

Dual Induction - E Master Calibration									
Sonde Error Corrections: Correction for sonde response in zero conductivity environment. (Normalized to 25C).									
Real Deep 10 kHz S.E. Corr.			Real Deep 20 kHz S.E. Corr.			Real Deep 40 kHz S.E. Corr.			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		44.95	Master		16.36	Master		4.690	
-50.00 (Minimum)	0 (Nominal)	125.0 (Maximum)	-30.00 (Minimum)	0 (Nominal)	30.00 (Maximum)	-15.00 (Minimum)	0 (Nominal)	15.00 (Maximum)	
Quad Deep 10 kHz S.E. Corr.			Quad Deep 20 kHz S.E. Corr.			Quad Deep 40 kHz S.E. Corr.			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		108.9	Master		64.63	Master		46.10	
-250.0 (Minimum)	0 (Nominal)	350.0 (Maximum)	-125.0 (Minimum)	0 (Nominal)	200.0 (Maximum)	-75.00 (Minimum)	0 (Nominal)	125.0 (Maximum)	
Real Medium 10 kHz S.E. Corr.			Real Medium 20 kHz S.E. Corr.			Real Medium 40 kHz S.E. Corr.			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		20.73	Master		-1.786	Master		-10.46	
-50.00 (Minimum)	0 (Nominal)	140.0 (Maximum)	-50.00 (Minimum)	0 (Nominal)	50.00 (Maximum)	-30.00 (Minimum)	0 (Nominal)	30.00 (Maximum)	
Quad Medium 10 kHz S.E. Corr.			Quad Medium 20 kHz S.E. Corr.			Quad Medium 40 kHz S.E. Corr.			
Phase	Value	Value	Phase	Value	Value	Phase	Value	Value	Value
Master		-105.8	Master		-34.20	Master		11.45	
-1300 (Minimum)	0 (Nominal)	1300 (Maximum)	-650.0 (Minimum)	0 (Nominal)	650.0 (Maximum)	-350.0 (Minimum)	0 (Nominal)	350.0 (Maximum)	

Hostile Environment Litho Density - A / Equipment Identification

Primary Equipment:

HOSTILE ENVIRONMENT LITHO DENSITY HIGH V	HLDV - A	10
HOSTILE ENVIRONMENT LITHO DENSITY CARTRI	HLDC - AA	11
Gamma Source Radioactive	GSR - Z	1846

Auxiliary Equipment:

HOSTILE ENVIRONMENT LITHO DENSITY SONDE	HLDS - B	10
HOSTILE ENVIRONMENT ELECTRONICS CARTRIDG	HEH - H	12
HOSTILE ENVIRONMENT ELECTRONICS CARTRIDG	HEH - G	11
HOSTILE ENVIRONMENT LITHO DENSITY PAD	HLDP - B	10

Nuclear Porosity Lithology Cartridge - B / Equipment Identification

Primary Equipment:

NPLC Cartridge	NPLC - B	79
----------------	----------	----

Auxiliary Equipment:

NPLC Housing	NPH - B	82
--------------	---------	----

Accelerator-Porosity Tool / Equipment Identification

Primary Equipment:

Accelerator-Porosity Sonde	APS - BA	22
APS Minitron	MNTR - F	4185

Auxiliary Equipment:

Accelerator-Porosity Housing	APH - AC	22
APS Calibration Water Tank	SFT - 178	4722
APS Aluminium Calibrator Sleeve	SFT - 281	24

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment:

HNGS Sonde	HNGS - BA	77
------------	-----------	----

Auxiliary Equipment:

HNGS Sonde Housing	HNSH - BA	79
Gamma Source Radioactive	GSR - U	135

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 1 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		40.59	Master		16.79	Master		1224
Before		40.60	Before		16.89	Before		1220
After		40.56	After		16.56	After		1219
	37.50 (Minimum) 40.00 (Nominal) 42.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)	
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		145.1	Master		10.40	Master		24.98
Before		146.3	Before		8.694	Before		22.43
After		145.7	After		8.617	After		22.28
	135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)	
Phase	Na Count Rate CPS	Value						
Master		50.31						
Before		49.89						
After		49.07						

Hostile Natural Gamma Ray Sonde Wellsite Calibration														
Detector 2 Check														
Phase	Na 511 Peak Loc			Value	Phase	Na 511 Peak Res %			Value	Phase	High Voltage V			Value
Master				40.58	Master				16.72	Master				1253
Before				40.59	Before				16.53	Before				1250
After				40.53	After				16.72	After				1245
37.50 (Minimum) 40.00 (Nominal) 42.50 (Maximum)				12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)				900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)						
Phase	Na 1785 Peak Loc			Value	Phase	Na 1785 Peak Res %			Value	Phase	Temperature DEGC			Value
Master				144.7	Master				9.766	Master				24.15
Before				144.3	Before				9.897	Before				21.87
After				144.5	After				8.738	After				22.37
135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)				7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)				-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)						
Phase	Na Count Rate CPS			Value										
Master				50.19										
Before				49.39										
After				48.82										
10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)														

Hostile Natural Gamma Ray Sonde Wellsite Calibration		
Ratio Of Detector 1 To Detector 2		
Phase	Coincidence Count Rate Ratio	Value
Master		1.004
Before		1.010
After		1.006
0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)		

Master: 12-Jul-2002 21:08
 Before: 24-Jul-2002 6:59
 After: 15-Aug-2002 3:01

Hostile Natural Gamma Ray Sonde Master Calibration														
Detector 1 Calibration														
Phase	Na 511 Peak Set Point			Value	Phase	Th Peak Loc			Value	Phase	Th Peak Res %			Value
Master				41.00	Master				208.9	Master				8.227
38.00 (Minimum) 40.00 (Nominal) 42.00 (Maximum)				201.0 (Minimum) 209.6 (Nominal) 218.3 (Maximum)				5.000 (Minimum) 7.000 (Nominal) 9.000 (Maximum)						
Phase	Background Count Rate CPS			Value	Phase	Gain Ratio			Value					
Master				24.67	Master				0.9793					
20.00 (Minimum) 142.5 (Nominal) 265.0 (Maximum)				0.9400 (Minimum) 1.000 (Nominal) 1.060 (Maximum)										

Master: 12-Jul-2002 21:01

Hostile Natural Gamma Ray Sonde Master Calibration														
Detector 2 Calibration														
Phase	Na 511 Peak Set Point			Value	Phase	Th Peak Loc			Value	Phase	Th Peak Res %			Value
Master				41.00	Master				208.8	Master				8.191
38.00 (Minimum) 40.00 (Nominal) 42.00 (Maximum)				201.0 (Minimum) 209.6 (Nominal) 218.3 (Maximum)				5.000 (Minimum) 7.000 (Nominal) 9.000 (Maximum)						
Phase	Background Count Rate CPS			Value	Phase	Gain Ratio			Value					
Master				22.68	Master				0.9792					
20.00 (Minimum) 142.5 (Nominal) 265.0 (Maximum)				0.9400 (Minimum) 1.000 (Nominal) 1.060 (Maximum)										

Master: 12-Jul-2002 21:01

Company: Lamont Doherty

Schlumberger

Well: ODP Leg 204, Site 1245 E

Field: Hydrate Ridge

Ocean: Pacific

State: Oregon

Phasor Induction

Natural Gamma Ray